

## **Listing of Claims**

This listing of the claims represents the claims as they are currently pending in the application.

1. (original) Process for preparing a solid pharmaceutical composition of perindopril or a salt thereof, comprising
  - (i) dry mixing of perindopril or a salt thereof with at least one inorganic carbonate, at least one carrier, and optionally other components, and
  - (ii) dry processing of the mixture obtained in step (i) to the desired solid form.
2. (original) Process according to claim 1, wherein the composition comprises the tert.-butyl amine salt of perindopril.
3. (previously presented) Process according to claim 1, wherein the inorganic carbonate is selected from the group consisting of sodium carbonate, sodium hydrogen carbonate, magnesium carbonate, calcium carbonate or calcium hydrogen carbonate.
4. (previously presented) Process according to claim 1, wherein the molar ratio of perindopril or a salt thereof to inorganic carbonate is 1 to 0.1-0.9 and preferably 1 to 0.50-0.83.
5. (previously presented) Process according to claim 1, wherein the carrier is microcrystalline cellulose, lactose or a mixture thereof.
6. (original) Process according to claim 5, wherein the microcrystalline cellulose has a moisture content of 0.3 to 5.0% by weight, preferably 0.3 to 1.5% by weight.
7. (previously presented) Process according to claim 5, wherein the lactose is anhydrous lactose.

8. (previously presented) Process according to claim 1, wherein step (ii) is effected by direct compression of the mixture.

9. (previously presented) Process according to claim 1, wherein the composition also comprises indapamide or a hydrate thereof.

10. (original) Process according to claim 9, wherein the hydrate is indapamide hemihydrate.

11. (previously presented) Process according to claim 9, wherein 90% of the particles of indapamide or a hydrate thereof have a size of less than 80  $\mu\text{m}$ .

12. (original) Process according to claim 11, wherein 90% of the particles of indapamide or a hydrate thereof have a size of less than 70  $\mu\text{m}$ .

13. (original) Solid pharmaceutical composition of perindopril or a salt thereof, comprising

- (a) perindopril or a salt thereof,
- (b) at least one of microcrystalline cellulose having a moisture content of 0.3 to 5.0% by weight and anhydrous lactose,
- (c) optionally at least one inorganic carbonate, and
- (d) optionally other components.

14. (original) Composition according to claim 13, wherein the molar ratio of perindopril or a salt thereof to inorganic carbonate is 1 to 0.1-0.9 and preferably 1 to 0.50-0.83.

15. (previously presented) Composition according to claim 13, wherein the microcrystalline cellulose has a moisture content of 0.3 to 1.5% by weight.

16. (original) Composition according to claim 15 which further comprises

indapamide or a hydrate thereof.

17. (original) Composition according to claim 16, wherein 90% by volume of the particles of indapamide or a hydrate thereof have a size of less than 80  $\mu\text{m}$ .